

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 1430 Alexandria, Virginia 22313-1450 www.tepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/592,908	07/17/2008	Jason R. Sullivan	CRD5080USPCT	4781
27777 PHILIP S. JOE	7590 02/18/201 INSON	EXAMINER		
JOHNSON & JOHNSON			EVERAGE, KEVIN D	
	ONE JOHNSON & JOHNSON PLAZA NEW BRUNSWICK, NJ 08933-7003			PAPER NUMBER
INLW DICONS	NEW BRUINSWICK, INJ 00935-7005		3734	
			NOTIFICATION DATE	DELIVERY MODE
			02/18/2011	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jnjuspatent@corus.jnj.com lhowd@its.jnj.com gsanche@its.jnj.com

## Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)				
10/592,908	SULLIVAN ET AL.				
Examiner	Art Unit				
KEVIN EVERAGE	3734				

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 31 January 2011 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods: The period for reply expires \_\_\_\_\_months from the mailing date of the final rejection. a) b) The period for reply expires on; (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b), ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION, See MPEP 706,07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL 2. The Notice of Appeal was filed on . A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). AMENDMENTS 3. X The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below); (b) They raise the issue of new matter (see NOTE below): (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: \_\_\_\_\_. (See 37 CFR 1.116 and 41.33(a)). The amendments are not in compliance with 37 CFB 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). Applicant's reply has overcome the following rejection(s): 6. Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7. X For purposes of appeal, the proposed amendment(s): a) will not be entered, or b) x will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: 1,2 and 4-7. Claim(s) withdrawn from consideration: AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1). 10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached.

11. \(\text{\text{Z}}\) The request for reconsideration has been considered but does NOT place the application in condition for allowance because: independent claim 1 has been amended to include the limitation that the second filter section defines agreed number of equal is ized filter cells than the filter section. Bosma discloses a symmetrical vascular filter wherein all the filter cells are of equal is ize but does not disclose a second filter section defining a greater number of filter cells. However Greenhalth discloses a vascular filter which has a second filter filter section with a greater number of filter cells than at first section, tould have been obvious to someone of ordinary skill in the at at the time of the invention to provide higher density filtering in the second section, as disclosed by Greenhalth, in the device of Bosma while maintaining equally sized filter cells to provide a greater filtering efficiency, allowing particles to flow into the filter through the first portion but treating those particles in the denser

second portion.

Weaver discloses the use of a hook structure.

12. \Boxed Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s). \_\_\_\_\_

13. \Boxed Other: \_\_\_\_\_\_

REQUEST FOR RECONSIDERATION/OTHER

Continuation Sheet (PTOL-303)

Application No.

/Gary Jackson/ Supervisory Patent Examiner, Art Unit 3734 /K. E./ Examiner, Art Unit 3734

U.S. Patent and Trademark Office

PTOL-303 (Rev. 08-06) Advisory Action Before the Filing of an Appeal Brief

Part of Paper No. 20110204